

MINIATURE CIRCUIT BREAKER C32N



MCB 1P



MCB 3P

AMPERE
1 PHASE : 1A, 2A, 4,A, 6A, 10A, 16A, 20A, 25A, 32A, 40A, 50A, 63A
3 PHASE : 6A, 10A, 16A, 20A, 25A, 32A, 40A, 50A, 63A

SPESIFIKASI	
RATED VOLTAGE : 230/400V	MECHANICAL LIFE :2000TIMES
ELECTRICAL LIFE : 6000 TIMES	CIRCUIT AC : 50/60HZ
BREAKING CAPACITY : 3KA,4.5KA,6KA	

TYPE	QUANTITY	HARGA
1 PHASE	1 X 144 PCS	Rp.
3 PHASE	1 X 80 PCS	Rp.

REGULATOR MANUAL TDGC



REGULATOR MANUAL

WATT
TDGC 0,5KW / TDGC 1KW / TDGC 1,5KW / TDGC 2KW
TDGC 3KW / TDGC 5KW / TDGC 8 KW / TDGC 10KW
TDGC 15KW

SPESIFIKASI	
INPUT VOLT : 220V	OUTPUT VOLT : 0-260V
EFFICIENCY : 95%	FREQUENCY : 50/60HZ
DISPLAY : ANALOG	

TYPE	QUANTITY	HARGA
TDGC 0,5KW	1 X 4 PCS	Rp.
TDGC 1KW	1 X 4 PCS	Rp.
TDGC 1,5KW	1 X 4 PCS	Rp.
TDGC 2KW	1 X 4 PCS	Rp.
TDGC 3KW	1 X 2 PCS	Rp.
TDGC 5KW	1 X 1 PCS	Rp.
TDGC 8KW	1 X 1 PCS	Rp.
TDGC 10KW	1 X 1 PCS	Rp.
TDGC 15KW	1 X 1 PCS	Rp.

AKSESORIS PANEL



REGULATOR MANUAL TDGC




STABILIZER 1 PHASE

WATT
500W / 1.000W / 1.500W / 2.000W / 3.000W
5.000W / 8.000W / 10.000W

SPESIFIKASI		
INPUT VOLT : 110V - 260V		OUTPUT VOLT : 220V
EFFICIENCY : 95%		FREQUENCY : 50/60HZ
DISPLAY : DIGITAL		

TYPE	QUANTITY	HARGA
500W	1 X 4 PCS	
1.000W	1 X 4 PCS	
1.500W	1 X 4 PCS	
2.000W	1 X 2 PCS	
3.000W	1 X 2 PCS	
5.000W	1 X 1 PCS	
8.000W	1 X 1 PCS	
10.000W	1 X 1 PCS	

PANEL METER DIGITAL



TYPE	DISPLAY	FRAME
SFD 96X1 I(A)	1 X 4 DIGIT	RC-D96
SFD 96X1 U(V)	1 X 4 DIGIT	RC-D96
SFD 96X1 F(HZ)	1 X 4 DIGIT	RC-D96
SFD 72X1 I(A)	1 X 4 DIGIT	RC-D72
SFD 72X1 U(V)	1 X 4 DIGIT	RC-D72
SFD 72X1 F(HZ)	1 X 4 DIGIT	RC-D72
SFD 96 X 3 I(A)	3 X 4 DIGIT	RC-D96
SFD 96 X 3 U(V)	3 X 4 DIGIT	RC-D96
SFD 72 X 3 I(A)	3 X 4 DIGIT	RC-D72
SFD 72 X 3 U(V)	3 X 4 DIGIT	RC-D72
SFD 96 X 3 U I F(A V HZ)	3 X 4 DIGIT	RC-D96
SFD 72 X 3 U I F(A V HZ)	3 X 4 DIGIT	RC-D72
SFD 96 X 5 U I F(A V HZ)	3 X 4 DIGIT	RC-D96

SPESIFIKASI	
CLASS : 1.5	MATERIAL : ABS PLASTIC
DISPLAY : DISPLAY	TEMP OPERATION : -25°C~+55°C
SIZE : SFD-72 (72X72) / SFD-96 (96X96)	

TYPE	QUANTITY	HARGA
SFD-72 / SFD-96 1I	1 X 100PCS	Rp.
SFD-72 / SFD-96 1U	1 X 100PCS	Rp.
SFD-72 / SFD-96 1F	1 X 100PCS	Rp.
SFD-72 / SFD-96 3I	1 X 100PCS	Rp.
SFD-72 / SFD-96 3U	1 X 100PCS	Rp.
SFD-72 / SFD-96 3F	1 X 100PCS	Rp.
SFD-72 / SFD-96 3U I F	1 X 100PCS	Rp.
SFD-72 / SFD-96 5U I F	1 X 100PCS	Rp.

PANEL METER DIGITAL



MSQ-30



MSQ-40



MSQ-60

TYPE	DISPLAY	RATED BUDEN	SECONDARY BURDEN
MSQ-30	30/5A	5	5
MSQ-30	50/5A	5	4
MSQ-30	60/5A	5	3
MSQ-30	75/5A	5	2
MSQ-30	100/5A	5	2
MSQ-30	150/5A	5	1
MSQ-30	200/5A	5	1
MSQ-40	250/5A	5~10	0,38
MSQ-40	300/5A	5~10	0,38
MSQ-40	400/5A	5~10	0,38
MSQ-40	500/5A	5~10	0,38
MSQ-40	600/5A	5~10	0,38
MSQ-60	800/5A	5~10	0,38
MSQ-60	1000/5A	5~10	0,38

SPESIFIKASI	
ACCURACY : 0.5, 1.0	MATERIAL : ABS PLASTIC
CORE TYPE :Toroidal	WORKING FREQUENCY : 50-60Hz
WORKING TEMPERATURE : -10~+50°C	

TYPE	QUANTITY	HARGA
MSQ-30	1 X 60PCS	Rp.
MSQ-40	1 X 60PCS	Rp.
MSQ-60	1 X 60PCS	Rp.

PANEL METER DIGITAL



TYPE	AC1	AC2	CONTACT
MC-09	25	9	1NO+1NC
MC-12	25	12	1NO+1NC
MC-18	25	18	1NO+1NC
MC-22	32	22	1NO+1NC
MC-32	40	32	1NO+1NC
MC-40	50	40	1NO+1NC
MC-50	60	50	2NO+2NC
MC-65	80	65	2NO+2NC
MC-75	100	75	2NO+2NC
MC-80	135	85	2NO+2NC

SPESIFIKASI

POLE : 3 POLE	APLICATION : AC Motor
FREQUENCY : 50 / 60 HZ	ELECTRIC TYPE : NORMAL
VOLTAGE : 220V / 380V	

TYPE	QUANTITY	HARGA
MC-09	1 X 50PCS	Rp.
MC-12	1 X 50PCS	Rp.
MC-18	1 X 50PCS	Rp.
MC-22	1 X 50PCS	Rp.
MC-32	1 X 50PCS	Rp.
MC-40	1 X 50PCS	Rp.
MC-50	1 X 20PCS	Rp.
MC-65	1 X 20PCS	Rp.
MC-75	1 X 20PCS	Rp.
MC-80	1 X 20PCS	Rp.

MAGNETIC CONTACTOR S-K



TYPE	RATED A	RATED V	CONTACT
SK-10	20	660	1NO+1NC
SK-11	20	660	1NO+1NC
SK-12	20	660	1NO+1NC
SK-20	25	660	1NO+1NC
SK-21	32	660	1NO+1NC
SK-25	50	660	2NO+2NC
SK-35	60	660	2NO+2NC
SK-50	80	660	2NO+2NC
SK-65	100	660	2NO+2NC
SK-80	120	660	2NO+2NC
SK-95	135	660	2NO+2NC





SPESIFIKASI	
MECHANICAL LIFE : 1000TIMES	APLICATION : AC Motor
FREQUENCY : 50 / 60 HZ	ELECTRIC TYPE : NORMAL
VOLTAGE : 220V / 380V	



TYPE	QUANTITY	HARGA
SK-10	1 X 60PCS	Rp.
SK-11	1 X 60PCS	Rp.
SK-12	1 X 60PCS	Rp.
SK-20	1 X 40PCS	Rp.
SK-21	1 X 40PCS	Rp.
SK-25	1 X 40PCS	Rp.
SK-35	1 X 40PCS	Rp.
SK-50	1 X 20PCS	Rp.
SK-65	1 X 20PCS	Rp.
SK-80	1 X 20PCS	Rp.
SK-95	1 X 20PCS	Rp.

MAGNETIC CONTACTOR S-N



TYPE	RATED A	RATED V	CONTACT
SN-10	20	660	1NO+1NC
SN-11	20	660	1NO+1NC
SN-12	20	660	1NO+1NC
SN-20	25	660	1NO+1NC
SN-21	32	660	1NO+1NC
SN-25	50	660	2NO+2NC
SN-35	60	660	2NO+2NC
SN-50	80	660	2NO+2NC
SN-65	100	660	2NO+2NC
SN-80	120	660	2NO+2NC
SN-95	135	660	2NO+2NC

SPESIFIKASI	
MECHANICAL LIFE : 1000TIMES	APLICATION : AC Motor
FREQUENCY : 50 / 60 HZ	ELECTRIC TYPE : NORMAL
VOLTAGE : 220V / 380V	

TYPE	QUANTITY	HARGA
SN-10	1 X 60PCS	Rp.
SN-11	1 X 60PCS	Rp.
SN-12	1 X 60PCS	Rp.
SN-20	1 X 40PCS	Rp.
SN-21	1 X 40PCS	Rp.
SN-25	1 X 40PCS	Rp.
SN-35	1 X 40PCS	Rp.
SN-50	1 X 20PCS	Rp.
SN-65	1 X 20PCS	Rp.
SN-80	1 X 20PCS	Rp.
SN-95	1 X 20PCS	Rp.

THERMAL OVERLOAD RELAY GTH-22



TYPE	CURRENT	SUITABLE CONTACTOR
GTH-22	0.4-0.63A	MC09-22
GTH-22	0.63-1A	MC09-22
GTH-22	1-1.6A	MC09-22
GTH-22	2.5-4A	MC09-22
GTH-22	4-6A	MC09-22
GTH-22	5-8A	MC09-22
GTH-22	6-9A	MC09-22
GTH-22	7-10A	MC12-22
GTH-22	9-13A	MC12-22
GTH-22	12-18A	MC12-22
GTH-22	16-22A	MC-22
GTH-40	18-26A	MC32-40
GTH-40	24-36A	MC32-40
GTH-40	28-40A	MC40
GTH-85	34-50A	MC50-85
GTH-85	45-65A	MC50-85
GTH-85	54-75A	MC65-85
GTH-85	63-85A	MC75-85

SPESIFIKASI	
TYPE : MAGNETIC	INTALASI : PLUG-IN
FREQUENCY : 50 / 60 HZ	POLE : 3 POLE
APLICATION : CIRCUIT BREAKING	

TYPE	QUANTITY	HARGA
GTH-22	1 X 60PCS	Rp.
GTH-40	1 X 60PCS	Rp.
GTH-85	1 X 60PCS	Rp.

THERMAL OVERLOAD RELAY GTH-22



TYPE	CURRENT	SUITABLE CONTACTOR
THK-12	2.1A	SK10-SK18
THK-12	2.5A	SK10-SK18
THK-12	3.6A	SK10-SK18
THK-12	5A	SK10-SK18
THK-12	6.6A	SK10-SK18
THK-12	9A	SK10-SK18
THK-12	11A	SK10-SK18
THK-20	15A	SK20-SK35
THK-20	19A	SK20-SK35
THK-20	22A	SK20-SK35
THK-20	29A	SK20-SK35
THK-20	35A	SK20-SK35
THK-65	42A	SK50-SK95
TH-K65	54A	SK50-SK95
TH-K65	67A	SK50-SK95
TH-K65	80A	SK50-SK95
TH-K65	90A	SK50-SK95

SPESIFIKASI	
TYPE : MAGNETIC	INTALASI : PLUG-IN
FREQUENCY : 50 / 60 HZ	COLOR : BLACK
APLICATION : CIRCUIT BREAKING	

TYPE	QUANTITY	HARGA
THK-12	1 X 100PCS	Rp.
TH-K20	1 X 100PCS	Rp.
TH-K65	1 X 100PCS	Rp.

TERMINAL BLOCK CONNECTOR




TYPE	PIN	AMPERE	SIZE
TB4 25A	4	25A	67mmX30mmX19mm
TB6 25A	6	25A	92mmX30mmX19mm
TB12 25A	12	25A	164mmX30mmX19mm
TB4 45A	4	45A	86mmX38mmX21mm
TB4 60A	4	60A	119mmX38mmX21mm
TB4 100A	4	100A	185mmX38mmX21mm
TB4 200A	4	200A	190mmX38mmX21mm

SPESIFIKASI	
VOLTAGE : 600V	MATERIAL : CERAMIC
WIRE SECTION : 0.5-1.5mm	METAL : COPPER
TEMPERATURE RANGE : -40°C~+105°C	

TYPE	QUANTITY	HARGA
TB4 25A	1 X 100PCS	Rp.
TB6 25A	1 X 100PCS	Rp.
TB12 25A	1 X 100PCS	Rp.
TB4 45A	1 X 100PCS	Rp.
TB4 60A	1 X 100PCS	Rp.
TB4 100A	1 X 100PCS	Rp.
TB4 200A	1 X 100PCS	Rp.

TERMINAL BLOCK JHT



TYPE	LEGHT	HEIGHT	SECTIONCORSS OF BRASS
JHT6-8	61	30	6mm X 9mm
JHT6-10	76	30	6mm X 9mm
JHT6-12	91	30	6mm X 9mm

TYPE	QTY	PRICE
JHT6-8	1 x 500PCS	Rp.
JHT6-10	1 x 500PCS	Rp.
JHT6-12	1 x 500PCS	Rp.

TERMINAL CABLE



TYPE	LEGHT	HEIGHT	SECTIONCORSS OF BRASS
4MM	61	30	6mm X 9mm
6MM	76	30	6mm X 9mm
10MM	91	30	6mm X 9mm
16MM	76	30	6mm X 9mm
25MM	91	30	6mm X 9mm

TYPE	QTY	PRICE
4MM	1 x 500PCS	Rp.
6MM	1 x 250PCS	Rp.
10MM	1 x 200PCS	Rp.
16MM	1 x 100PCS	Rp.
25MM	1 x 50PCS	Rp.


ISOLATOR SM CONNECTOR



TYPE	DIMENSIONS	SCREW	VOLTAGE WITH STAND
SM-25	25MM X 30MM	9	5
SM-30	30MM X 32MM	8	8
SM-35	35MM X 32MM	8	10
SM-40	40MM X 40MM	8	12
SM-51	51MM X 36MM	8	15

TYPE	QTY	PRICE
SM-25	1 x 500PCS	Rp.
SM-30	1 x 500PCS	Rp.
SM-35	1 x 500PCS	Rp.
SM-40	1 x 500PCS	Rp.
SM-51	1 x 300PCS	Rp.

ISOLATOR ST CONNECTOR



TYPE	RATED VOLTAGE	MATERIAL	OPERATION TEMP
1/30(CT4-30)	660V	DMC / BMC	-30°C~+120°C
1/40(CT4-40)	660V	DMC / BMC	-30°C~+120°C
2/30(CJ4-30)	660V	DMC / BMC	-30°C~+120°C
2/40(CJ4-40)	660V	DMC / BMC	-30°C~+120°C
3/20(CJ4-40)	660V	DMC / BMC	-30°C~+120°C

TYPE	QTY	PRICE
1/30(CT4-30)	1 x 20PCS	Rp.
1/40(CT4-30)	1 x 20PCS	Rp.
2/30(CT4-30)	1 x 20PCS	Rp.
1/40(CT4-30)	1 x 20PCS	Rp.
3/20(CT4-30)	1 x 60PCS	Rp.

SKUN TYPE RING RV-O



TYPE	MATERIAL	INSULATION	FOR CABLE	COLOUR
1.5-4	COPPER	PVC	0.5~1.5MM	
2.5-4	COPPER	PVC	1.5~2.5MM	
2-10	COPPER	PVC	1.5~2.5MM	RED
3.5-4	COPPER	PVC	2.5~4MM	BLUE
3.5-10	COPPER	PVC	2.5~4MM	YELLOW
5.5-6	COPPER	PVC	4~6MM	BLACK
5.5-12	COPPER	PVC	4~6MM	

TYPE	QTY	PRICE
1.5-4	1 X 16.000PCS	Rp.
2.5-4	1 X 16.000PCS	Rp.
2-10	1 X 16.000PCS	Rp.
3.5-4	1 X 16.000PCS	Rp.
3.5-10	1 X 16.000PCS	Rp.
5.5-6	1 X 16.000PCS	Rp.
5.5-10	1 X 16.000PCS	Rp.

SKUN TYPE FORK SV-Y



TYPE	MATERIAL	INSULATION	FOR CABLE	COLOUR
1.5-4	COPPER	PVC	0.5~1.5MM	RED
2.5-4	COPPER	PVC	1.5~2.5MM	BLUE
3.5-4	COPPER	PVC	1.5~2.5MM	YELLOW
5.5-6	COPPER	PVC	2.5~4MM	BLACK

TYPE	QTY	PRICE
1.5-4	1 X 16.000PCS	Rp.
2.5-4	1 X 16.000PCS	Rp.
3.5-4	1 X 16.000PCS	Rp.
5.5-4	1 X 16.000PCS	Rp.

SKUN TYPE MALE MDD



TYPE	MATERIAL	INSULATION	FOR CABLE	COLOUR
1.25-250	COPPER	PVC	0.5~1.5MM	RED
2-250	COPPER	PVC	1.5~2.5MM	BLACK BLUE
5.5-250	COPPER	PVC	4-6mm	YELLOW

SKUN TYPE FEMALE FDFD



TYPE	MATERIAL	INSULATION	FOR CABLE	COLOUR
1.25-250	COPPER	PVC	0.5~1.5MM	RED
2-250	COPPER	PVC	1.5~2.5MM	BLACK BLUE
5.5-250	COPPER	PVC	4-6mm	YELLOW

SKUN TYPE FEMALE FDFN



TYPE	MATERIAL	INSULATION	FOR CABLE	COLOUR
1.25-250	COPPER	PVC	0.5~1.5MM	RED
2-250	COPPER	PVC	1.5~2.5MM	BLACK BLUE
5.5-250	COPPER	PVC	4-6mm	YELLOW

SKUN TYPE PTV



TYPE	MATERIAL	INSULATION	FOR CABLE	COLOUR
1.25-250	COPPER	PVC	0.5~1.5MM	RED
2-250	COPPER	PVC	1.5~2.5MM	BLACK BLUE
5.5-250	COPPER	PVC	4-6mm	YELLOW

SKUN TYPE DBV



TYPE	MATERIAL	INSULATION	FOR CABLE	COLOUR
1.25-250	COPPER	PVC	0.5~1.5MM	RED
2-250	COPPER	PVC	1.5~2.5MM	BLACK BLUE
5.5-250	COPPER	PVC	4-6mm	YELLOW

TANG SKUN TOOLS HD16L



SPESIFIKASI		
MATERIAL : CARBON STEEL		HANDLE : PVC PLASTIC
CAPACITY : 6~50MM		
APLICATION : CONTRUCTION		
TYPE	QTY	PRICE
HS-6L	1 x 10PCS	Rp.

TANG SKUN JY0650



SPESIFIKASI		
MATERIAL : CARBON STEEL		HANDLE : PVC PLASTIC
CAPACITY : 0.5~6MM		CRIPPING TYPE : HEXAGON
APLICATION : CRIPPING		
TYPE	QTY	PRICE
0650	1 x 10PCS	Rp.

TANG SKUN HS700B



SPESIFIKASI		
MATERIAL : CARBON STEEL		HANDLE : PVC PLASTIC
CAPACITY : 1.0~3.2mm		TYPE : STRIPPING PLIERS
APLICATION : WIRE STRIPPER		
TYPE	QTY	PRICE
HS700B	1 x 10PCS	Rp.

TANG SKUN TOOLS YQK



TYPE	RANGE	STROKE	CRIPPING TYPE
YQK-70	4~70mm	12MM	Hexagon Crimping
YQK-120	10~120mm	14MM	Hexagon Crimping
YQK-240	16~300mm	22MM	Hexagon Crimping
YQK-300	16~300mm	22MM	Hexagon Crimping



SPESIFIKASI	
MATERIAL : CARBON STEEL	HANDLE : PVC PLASTIC
CAPACITY : 4~300MM	PACKAGE : PLASTIC BOX
TYPE : HYDRAULIC CRIPPING	

TYPE	QTY	PRICE
YQK-70	1X5PCS	Rp.
YQK-120	1X4PCS	Rp.
YQK-240	1X4PCS	Rp.
YQK-300	1X4PCS	Rp.

TANG CUTTING TOOLS HS-125



SPESIFIKASI	
MATERIAL : CARBON STEEL	HANDLE : PVC PLASTIC
CAPACITY : MAX 125MM	BLADE : FOGGING
APLICATION : CUTTING	

TYPE	QTY	PRICE
HS-125	1X30PCS	Rp.

LAMP LED INDICATOR AD16-22



SPESIFIKASI		
MATERIAL : PLASTIC		INPUT VOLTAGE : 3V~380V
DIMENSION : 22MM		PROJECTION LEVEL : IP65
COLOUR : RED, GREEN, BLUE, YELLOW, WHITE		
TYPE	QTY	PRICE
AD16-22	1 x 500PCS	Rp.

LAMP LED INDICATOR XB-2



SPESIFIKASI		
MATERIAL : PLASTIC		INPUT VOLTAGE : 3V~380V
DIMENSION : 22MM		PROJECTION LEVEL : IP65
COLOUR : RED, GREEN, BLUE, YELLOW, WHITE		
TYPE	QTY	PRICE
XB-2	1 x 500PCS	Rp.

LAMP LED INDICATOR



SPESIFIKASI		
MATERIAL : PLASTIC	INPUT VOLTAGE : 3V~380V	
DIMENSION : 22MM	PROJECTION LEVEL : IP65	
COLOUR : RED, GREEN, BLUE, YELLOW, WHITE		
TYPE	QTY	PRICE
PL25N	1 x 500PCS	Rp.

PUSH BUTTON XB7-EA42



SPESIFIKASI		
MATERIAL : PLASTIC		INPUT VOLTAGE : 3V~380V
DIMENSION : 22MM		PROJECTION LEVEL : IP65
COLOUR : RED, GREEN, BLUE, YELLOW, WHITE		
TYPE	QTY	PRICE
AD16-22	1 x 500PCS	Rp.

PUSH BUTTON PB-2511



SPESIFIKASI		
MATERIAL : PLASTIC	INPUT VOLTAGE : 3V~380V	
DIMENSION : 22MM	PROJECTION LEVEL : IP65	
COLOUR : RED, GREEN, BLUE, YELLOW, WHITE		
TYPE	QTY	PRICE
PB-2511	1 x 500PCS	Rp.

PUSH BUTTON RESET EMERGENCY



SPESIFIKASI		
MATERIAL : PLASTIC		INPUT VOLTAGE : 3V~380V
DIMENSION : 25MM / 30MM		PROJECTION LEVEL : IP65
COLOUR : RED, GREEN, BLUE, YELLOW, WHITE		
TYPE	QTY	PRICE
PB25MZ	1 x 500PCS	Rp.
PB30MZ	1 x 500PCS	Rp.

PUSH BUTTON DOUBLE



SPESIFIKASI		
MATERIAL : PLASTIC		INPUT VOLTAGE : 3V~380V
DIMENSION : 25MM / 30MM		PROJECTION LEVEL : IP65
COLOUR : BLACK		
TYPE	QTY	PRICE
APBB-25	1 x 500PCS	Rp.
PPBB-30	1 x 500PCS	Rp.

PUSH BUTTON CONTROL



SPESIFIKASI		
MATERIAL : PLASTIC		BT-2 : ON-OFF
DIMENSION : 22MM		BT-3 : FWD-REV-OFF
PROJECTION LEVEL : IP65		
TYPE	QTY	PRICE
BT-2	1 x 500PCS	Rp.
BT-3	1 x 500PCS	Rp.

PUSH BUTTON POWER



SPESIFIKASI		
MATERIAL : PLASTIC		BS-216 :15A / 2.2KW
DIMENSION : 25MM / 30MM		BS-230 : 30A / 3.7KW
COLOUR : GREY		
TYPE	QTY	PRICE
BS-216	1 x 500PCS	Rp.
BS-230	1 x 500PCS	Rp.

PUSH BUTTON POWER



SPESIFIKASI	
MATERIAL : PLASTIC	COB-61 : 2 BUTTON
PROJECTION LEVEL : IP65	COB-62 : 4 BUTTON
APP : INDUSTRIAL CONTROL	COB-63 : 6 BUTTON
INPUT VOLTAGE : 3V~380V	

TYPE	QTY	PRICE
COB-61	1 x 500PCS	Rp.
COB-62	1 x 500PCS	Rp.
COB-63	1 x 500PCS	Rp.

SELECTOR SWITCH ROTARY



SPESIFIKASI	
MATERIAL : PLASTIC	CV-34 : RN SN TN O RS TS TR
PROJECTION LEVEL : IP65	CA-10 : B-OFF-R
APP : INDUSTRIAL MOTOR	MOA : M-O-A
FUNCTION : CIRCUIT CONTROL	PB25-11X/2 : ON-OFF-ON

TYPE	QTY	PRICE
COB-61	1 x 500PCS	Rp.
COB-62	1 x 500PCS	Rp.
COB-63	1 x 500PCS	Rp.

SAKLAR SWITCH ON OFF



SPESIFIKASI	
MATERIAL : PLASTIC	TYPE : ROUND & BOX
PROJECTION LEVEL : IP65	PIN : 3PIN & 6 PIN
INPUT VOLTAGE : 3V~380V	

TYPE	QTY	PRICE
ROUND-3PIN	1 x 500PCS	Rp.
BOX-3PIN	1 x 500PCS	Rp.
BOX-6PIN	1 x 500PCS	Rp.

TIMER SWITCH DIGITAL



SPESIFIKASI	
MATERIAL : PLASTIC	TYPE : TIMER SWITCH
PROJECTION LEVEL : IP65	FUNCTION : TIME
INPUT VOLTAGE : 220V ~240V	

TYPE	QTY	PRICE
ETG-63	1 x 500PCS	Rp.
CN101	1 x 500PCS	Rp.

CABLE GLAND BRASS PG



CABLE PG

TYPE	CABLE RANGE	COLOR
BPG / PG-07	3-7mm	
BPG / PG-09	4-8mm	
BPG / PG-11	5-10mm	WHITE
BPG / PG-13.5	6-12mm	BLACK
BPG / PG-16	10-14mm	
BPG / PG-19	13-18mm	
BPG / PG-21	18-25mm	



CABLE BPG

TYPE	CABLE RANGE	COLOR
BPG-07	1 PAK X 100	
BPG-09	1 PAK X 100	
BPG-11	1 PAK X 100	WHITE
BPG-13.5	1 PAK X 100	BLACK
BPG-16	1 PAK X 100	
BPG-19	1 PAK X 100	
BPG-21	1 PAK X 100	

TYPE	CABLE RANGE	COLOR
PG-07	1 PAK X 100	Rp.
PG-09	1 PAK X 100	Rp.
PG-11	1 PAK X 100	Rp.
PG-13.5	1 PAK X 100	Rp.
PG-16	1 PAK X 100	Rp.
PG-19	1 PAK X 100	Rp.
PG-21	1 PAK X 100	Rp.



LAMP LED BULB INSCOM



SPESIFIKASI	
COLOR TEMP : 3K~6K	INPUT VOLT : 220VOLT
BASE TYPE : E14 / E27	FREQUENCY : 50/60HZ
LIGHT SOURCE : LED	

TYPE	CABLE RANGE	COLOR
3WATT	1 X 100 PCS	Rp.
5WATT	1 X 100 PCS	Rp.
8WATT	1 X 100 PCS	Rp.
12WATT	1 X 100 PCS	Rp.
15WATT	1 X 50 PCS	Rp.
20WATT	1 X 24 PCS	Rp.
27WATT	1 X 12 PCS	Rp.
33WATT	1 X 12 PCS	Rp.
45WATT	1 X 12 PCS	Rp.
60WATT	1 X 12 PCS	Rp.

SOLAR PANEL INSCOM



SPESIFIKASI	
TYPE : MONO & POLLY	FRAME : ALUMUNIUM ALLOY
JUNCITON BOX : IP68 Rated	FRONT : TEMPER GLASS
APLICATION : SOLAR POWER SYSTEM	

TYPE	CABLE RANGE	COLOR
10WATT	MONO / POLY	Rp.
20WATT	MONO / POLY	Rp.
30WATT	MONO / POLY	Rp.
50WATT	MONO / POLY	Rp.
100WATT	MONO / POLY	Rp.
150WATT	MONO / POLY	Rp.
200WATT	MONO / POLY	Rp.

SOLAR STREET LIGHT KMAC-B



SPESIFIKASI	
TYPE : KMAC-B	IP GRADE : IP65
SOURCE LIGHT : LED	POWER SUPPLY : 220VAC
APLICATION : STREET LIGHT	

TYPE	WATT	COLOR
KMAC-B	50WATT	Rp.
	100WATT	Rp.
	150WATT	Rp.

STREET LIGHT LAMP LED KMAC



SPESIFIKASI	
TYPE : KMAC	IP GRADE : IP65
SOURCE LIGHT : LED	POWER SUPPLY : 220VAC
APLICATION : STREET LIGHT	

TYPE	WATT	COLOR
	75WATT	Rp.
KMAC	110WATT	Rp.
	150WATT	Rp.

SOLAR STREET LIGHT LAMP LED KMSP



40WATT

60WATT

SPESIFIKASI		
TYPE : KMSP	IP GRADE : IP66	
SOURCE LIGHT : LED	POWER SUPPLY : SOLAR	
APLICATION : SOLAR STREET LIGHT		
TYPE	WATT	COLOR
	40WATT	Rp.
KMAC	60WATT	Rp.

SOLAR STREET LIGHT LAMP LED KMSA



60WATT 40WATT

SPESIFIKASI		
TYPE : KMSP		IP GRADE : IP66
SOURCE LIGHT : LED		POWER SUPPLY : SOLAR
APLICATION : SOLAR STREET LIGHT		
TYPE	WATT	COLOR
KMSA	40WATT	Rp.
	60WATT	Rp.

SOLAR STREET LIGHT LAMP LED KMSPS



SPESIFIKASI		
TYPE : KMSPS		IP GRADE : IP66
SOURCE LIGHT : LED		POWER SUPPLY : SOLAR
APLICATION : SOLAR STREET LIGHT		
TYPE	WATT	COLOR
KMSPS	40WATT	Rp.
	60WATT	Rp.

SOLAR CHARGE CONTROLLER



SPESIFIKASI		
TYPE : TX-B		IP GRADE : IP66
DISPLAY : DIGITAL		AMPERE : 10A, 20A, 30A
APLICATION : SOLAR PANEL		
TYPE	CABLE RANGE	COLOR
TX-B	10Ampere	Rp.
	20Ampere	Rp.
	30Ampere	Rp.



SPESIFIKASI		
TYPE : TX-CL		IP GRADE : IP66
DISPLAY : DIGITAL		AMPERE : 10A, 20A, 30A
APLICATION : SOLAR PANEL		
TYPE	CABLE RANGE	COLOR
TX-CL	10Ampere	Rp.
	20Ampere	Rp.
	30Ampere	Rp.

POWER INVERTER KMCS-U



SPESIFIKASI	
TYPE : KMCS-U	FREQUENCY : 50 HZ
DISPLAY : DIGITAL	MATERIAL : ALUMUNIUUM ALLOY
OUTPUT : PURE WIRE WAVE INVERTER	

TYPE	WATT	COLOR
KMCS-U	500WATT	Rp.
	1000WATT	Rp.
	1500WATT	Rp.
	2000WATT	Rp.
	3000WATT	Rp.
	5000WATT	Rp.

POWER INVERTER KM-E



SPESIFIKASI	
TYPE : KM-E	FREQUENCY : 50 HZ
DISPLAY : NO DISPLAY	MATERIAL : ALUMUNIUUM ALLOY
OUTPUT : PURE WIRE WAVE INVERTER	

TYPE	WATT	COLOR
KM-E	150WATT	Rp.
	200WATT	Rp.
	300WATT	Rp.
	500WATT	Rp.
	1000WATT	Rp.
	2000WATT	Rp.